## Author index

Ackern, Van K. see Breil, I.

Ahlborg, G. see Pernow, J.

Alving, K. see Lundberg, J. O. N.

Aoki, A. see Shiojiri, T.

Arjamaa, O., Taskinen, T., Vuolteenaho, O. & Leppäluoto, J. Brain natriuretic peptide (BNP) gene expression in the heart of vasopressin-deficient Brattleboro rats, 257

Bäckström, T. see Wang, M. D.

Batra, S. see Suzuki, J.

Belichenko, P. see Okiji, T.

Belz, M. see Breil, I.

Berg, K. see Brurok, H.

Bergenholtz, G. see Okiji, T.

Binzoni, T., Hiltbrand, E., Yano, T. & Cerretelli, P. Step vs. progressive exercise: the kinetics of phosphocreatine hydrolysis in human muscles, 209

Blomstrand, E., Hassmén, P., Ek, S., Ekblom, B. & Newsholme, E. A. influence of ingesting a solution of branched-chain amino acids on perceived exertion during

Breil, I., Koch, T., Belz, M., Ackern, K. Van, & Neuhof, H. Effects of bradykinin, histamine and serotonin on pulmonary vascular resistance and permeability, 189

Brurok, H., Schjøtt, J., Berg, K., Karlsson, J. O. G. & lynge, P. Manganese and the heart: acute cardiodepression and myocardial accumulation of manganese,

Cabero, J. L. see Tømmerås, K.

Cerretelli, P. see Binzoni, T.

Cerretelli, P. see Samaja, M.

Chen, Y. see Tømmerås, K.

Dahlström, A. see OkijiI, T.

De Meirleir, K. see Meeusen, R.

Disssing, S. see Gromada, J.

Dobrowolski, L., Endlich, K., Sadowski, J. & Steinshausen, M. Cardiovascular and renal effects of endothelin receptor blockade with PD 145065 and interaction with urodilatin,

Ebinger, G. see Meeusen, R.

Eddinger, T. J. & Ratz, P. H. I-Adrenoceptor activation induces rhythmic contractile activity in carotid arteries from young, not adult, rats, 123

Ek, S. see Blomstrand, E.

Ekblom, B. see Blomstrand, E.

Endlich, K. see Dobrowolski, L.

Fernvik, E. see Thorlacius, H.

Flatebø, T. see Melsom, M. N.

Florholmen, J. see Støa-Birketvedt, G.

Frostell, C. see Högman, M.

Gao, M. see Suzuki, J.

Gautam, N. see Thorlacius, H.

Golster, H., Thulesius, O., Nilsson, G. & Sjöberg, F. Heterogenous blood flow response in the foot on dependency, assessed by laser Doppler perfusion imaging,

Grände, P. O. see Jahr, J.

Gromada, J., Jørgensen, N. K., Nauntofte, B. & Dissing, S. stimulation-induced calcium signalling and ion transport in rat pancreatic acini, 69

Gustafsson, L. E. see Högman, M.

Gustafsson, L. E. see Strömberg, S.

Gustafsson, U. see Kimme, P.

Hansen, F. see Sonesson, B.

Harris, R. C. see Orme, C. E.

Hassmén, P. see Blonstrand, E.

Hedenstierna, G. see Högman, M.

Hedner, T. see Zhang, W.

Heitala, E.-L. & Larmas, M. Effect of ovariectomy upon weaning on the morphometric parameters of femorae and tibiae of growing rats, 175

Helander, H. F., Wong, H., Poorkhalkali, N. & Walsh, J. H. Immunohistochemical localization of gastrin/CCK-B receptors in the dog and guinea-pig stomach, 313

Henriksson, J. see Rosdahl, H.

Hiltbrand, E. see Binzoni, T.

Hjemdahl, P. see Kahan, T.

Högman, M., Strömberg, S., Schedin, U., Frostell, C., Hedenstierna, G. & Gustafsson, L. E. Nitric oxide from the human respiratory tract efficiently quantified by standardized single breath measurements, 345

Hultkvist-Bengtsson, U. see Nyhlén, K.

Ikeda, S. see Shirai, M.

Iversen, P. O. Review article: Blood flow to the haemopoietic bone marrow, 269

Jacobson, S. H. see Thorlacius, H.

Jahr, J. & Grände, P. O. Peripheral circulatory effects of pump perfusion skeletal muscle with and without prostacyclin, 93

Jontell, M. see Okiji, T.

Jonzon, B., Karlberg, K. E., Querrol-Ferrer, V. & Sylvén, C. Effects of adenosine on ex vivo filtragometry platelet aggregation in relation to plasma levels, 245

Jøgensen, N. K. see Gromada, J.

Jynge, P. see Brurok, H.

Kahan, T., Lindqvist, M., Nussberger, J., Melcher, A. & Hjemdahl, P. Plasma angiotensins and human forearm circulation: effects of sympatho-adrenal activation, 107

Kaijser, L. see Pernow, J.

Karlberg, K. E. see Jonzon, B.

Karlsson, J. O. G. see Brurok, H.

Kawaguchi, A. T. see Shirai, M.

Keizer, H. see Meeusen, R.

Kimme, P., Gustafsson, U., Sollevi, A., Nilsson, G. & Sjöberg, F. Cerebral blood flow of the exposed brain surface measured by laser Doppler perfusion imaging, 15

Koch, T. see Breil, I.

Koga, S. see Shiojiri, T.

Koiter, T. R. see Nieuwenhuizen, A. G.

Kondo, K. see Shiojiri, T.

Koyama, T. see Suzuki, J.

Kramer-Johansen, J. see Melsom, M. N.

Kupenova, P., Vitanova, L., Popova, E. & Mitova, L. Influence of picrotoxin and strychnine on the spectral sensitivity of the turtle ERG b- and d-wave: I. Dark adaptation, 217

Kupenova, P. see Vitonova, L

Lagercrantz, H. see Yuan, S.-Z.

Landgren, S. see Wang, M. D.

Länne, T. see Sonesson, B.

Larmas, M. see Hietala, E.-L.

Larsson, L. & Yu, F. Gender related differences in the regulatory influence of thyroid hormone on the expression of myosin isoforms in young and old rats, 81

Leppäluoto, J. see Arjamaa, O.

Lindbom, L. see Thorlacius, H.

Lindqvist, M. see Kahan, T.

Lönnqvist, P. A. see Strömberg, S.

Lundahl, J. see Thorlacius, H.

Lundberg, J. M. see Lundberg, J. O. N.

Lundberg, J. M. see Pernow, J.

Lundberg, J. O. N., Rinder, J., Weitzberg, E., Alving, K. & Lundberg, J. M. Heavy physical exercise decreases nitric oxide levels in the nasal airways of humans, 51

Mårdh, S. see Tømmerås, K.

Mariani, C. see Samaja, M.

Meeusen, R., Smolders, I., Sarre, S., De Meirleir, K., Keizer, H., Serneels, M., Ebinger, G. & Michotte, Y. Endurance training effects on neurotransmitter release in rat striatum – an *in vivo* microdialysis study, 335

Melcher, A. see Kahan, T.

Melsom, M. N., Kramer-Johansen, J., Flatebø, T., Müller, C. & Nicolaysen, G. Distribution of pulmonary ventilation and perfusion measured simultaneously in awake goats, 199

Michotte, Y. see Meeusen, R.

Mitova, L. see Kupenova, P.

Mitova, L. see Vitonova, L

Moes, H. see Nieuwenhuizen, A. G.

Müller, C. see Melsom, M. N.

Naoi, M. see Ohkuwa, T.

Nauntofte, B. see Gromada, J.

Neuhof, H. see Breil, I.

Newsholme, E. A. see Blomstrand, E.

Nicolaysen, G. see Melsom, M. N.

Nieuwenhuizen, A. G., Schuiling, G. A., Moes, H. & Koiter, T. R. Role of increased insulin demand in the adaptation of the endocrine panceas to pregnancy, 303

Nilsson, G. see Golster, H.

Nilsson, G. see Kimme, P.

Ninomiya, I. see Shirai, M.

Nussberger, J. see Kahan, T.

Nyhlén, K., Rippe, B. & Hultkvist-Bengtsson, U. An isolated blood-perfused guinea-pig lung model for simultaneous registration of haemodynamic, microvascular and respiratory variables, 293

Ohkuwa, T., Sato, Y. & Naoi, M. Glutathione status and reactive oxygen generation in tissues of young and old exercised rats, 237

Okiji, T., Jontell, M., Belichenko, P., Bergenholtz, G. & Dahlström, A. Perivascular dendritic cells of the human dental pulp, 163 Orme, C. E. & Harris, R. C. A comparison of the lipolytic and anticoagulative properties of heparin and pentosan polysulphate in the thoroughbred horse, 179

Pernow, J., Ahlborg, G., Lundberg, J. M. & Kaijser, L. Long-lasting coronary vasoconstrictor effects and myocardial uptake of endothelin-1 in humans, 147

Persson, M. G. see Strömberg, S.

Pettersson, A. see Zhang, W.

Poorkhalkali, N. see Helander, H. F.

Popova, E. see Kupenova, P

Popova, E. see Vitonova, L

Prestini, A. see Samaja, M.

Querrol-Ferrer, V. see Jonzon, B.

Ratz, P. H. see Eddinger, T. J.

Raud, J. see Thorlacius, H.

Rhedin, M. see Tømmerås, K.

Rinder, J. see Lundberg, J. O. N.

Rippe, B. see Nyhlén, K.

Ronquist, G. see Wikström, B. G.

Rosdahl, H., Ungerstedt, U., & Henriksson, J. Microdialysis in human skeletal muscle and adipose tissue at low flow rates is possible if dextran-70 is added to prevent loss of perfusion fluid, 261

Runold, M. see Yuan, S.-Z.

Sadowski, J. see Dobrowolski, L.

Samaja, M., Mariani, C., Prestini, A. & Cerretalli, P. Acidbase balance and O<sub>2</sub> transport at high altitude, 249

Sarre, S. see Meeusen, R.

Sato, Y. see Ohkuwa, T.

Schedin, U. see Högman, M.

Schjøtt, J. see Brurok, H.

Schuiling, G. A. see Nieuwenhuizen, A. G.

Secher, N. H. see Vissing, S. F.

Serneels, M. see Meeusen, R.

Shibasaki, M. see Shiojiri, T.

Shimouchi, A. see Shirai, M.

Shiojiri, T., Shibasaki, M., Aoki, A., Kondo, K. & Koga, S. Effects of reduced muscle temperature on the oxygen uptake kinetics at the start of exercise, 327

Shirai, M., Shimouchi, A., Kawaguchi, A. T., Ikeda, S., Sunagawa, K. & Ninomiya, I. Endogenous nitric oxide attenuates hypoxic vasoconstriction of small pulmonary arteries and veins in anaesthetized cats, 263

Sjöberg, F. see Golster, H.

Sjöberg, F. see Kimme, P.

Smolders, I. see Meeusen, R.

Sollevi, A. see Kimme, P.

Sonesson, B., Vernersson, E., Hansen, F. & Länne, T. Influence of sympathetic stimulation on the mechanical properties of the aorta in humans, 139

Steinhausen, M. see Dobrowolski, L.

Steinmann, C. M. L. & Storm, M. The conservation of mitochondrial function by ischaemia – the ischaemia paradox, 171

Stoa-Birketvedt, G., Waldum, H. L., Vonen, B. & Florholmen, J. Effect of cimetidine on basal and postprandial plasma concentrations of cholecystokinin and gastrin in humans, 321

Storm, M. see Steinmann, C. M. L.

Strömberg, S., Lönnqvist, P. A., Persson, M. G. & Gustafsson, L. E. Lung distension and carbon dioxide

affect pulmonary nitric oxide formation in the anaesthetized rabbit, 59

Strömberg, S. see Högman, M. Sunagawa, K. see Shirai, M.

Suzuki, J., Gao, M., Batra, S. & Koyama, T. Effects of treadmill training on the arteriolar and venular portions of capillary in soleus muscle of young and middle-aged rats, 113

Sylvén, C. see Jonzon, B.

Taskinen, T. see Arjamaa, O.

Thorén, P. see Zhang, W.

Thorlacius, H., Fernvik, E., Gautam, N., Lundahl, J., Raud, J., Jacobson, S. H. & Lindbom, L. Impaired leucocyte rolling, adhesion and transendothelial migration following cuprophane haemodialysis, 277

Thulesius, O. see Golster, H.

Tømmerås, K., Chen, Y., Rhedin, M., Cabero, J. L. & Mårdh, S. Proliferation and differentiation of cells from explants of fetal rat stomach, 155

Ungerstedt, U. see Rosdahl, H.

Vernersson, E. see Sonnesson, B. Victor, R. G. see Vissing, S. F.

Visssing, S. F., Secher, N. H. & Victor, R. G. Mechanisms of cutaneous vasoconstriction during upright posture,

Vitanova, L., Kupenova, P., Popova, E, & Mitova, L. Influence of picrotoxin and strychnine on the spectral

sensitivity of the turtle ERG b- and d-wave: II. Light adaptation, 227

Vitanova, L. see Kupenova, P.

Vonen, B. see STøa-Birketvedt, G. Vuolteenaho, O. see Arjamaa, O.

Vuolteenano, O. 300 Arjamaa, O.

Waldenström, A. see Wikström, B. G.

Waldum, H. L. see Støa-Birketvedt, G.

Walsh, J. H. see Helander, H. F.

Wang, M. D., Landgren, S. & Bäckström, T. The effects of allopregnanolone, pregnenolone sulphate and pregnenolone on the CA1 population spike of the rat hippocampus after 17β-oestradiol priming, 343

Weitzberg, E. see Lundberg, J. O. N.

Wikström, B. G., Ronquist, G. & Waldenström, A. No further improvement of ischaemic myocardial metabolism by combining preconditioning with β-blockade: an *in vivo* experimental study in the pig heart using a microdialysis technique, 23

Wong, H. see Helander, H. F.

Yano, T. see Binzoni, T.

Yuan, S.-Z., Runold, M. & Lagercrantz, H. Adrenalectomy reduces the ability of newborn rats to gasp and survive anoxia, 285

Zhang, W., Pettersson, A., Thorén, P. & Hedner, T. Effects of 1,1-dimethylguanidine on blood pressure, heart rate and renal sympathetic nerve activity in normotensive and spontaneously hypertensive rats, 1



## Subject index

Accumulation, 33
Acini, 69
Acoustic rhinometry, 51
Acute mountain sickness, 249
Adaptation to hypoxia, 249
Adenosine, 15, 23, 245
Adhesion, 277
Adrenaline, 107
Ageing, 81, 123
Air. 345

Alkaline phosphatase/dipeptidyl peptidase IV staining, 113

ing, 113
Allopregnanolone, 343
Anaesthesia, 293
Angiogenesis, 113
Aortic compliance, 139
Aortic distensibility, 139
Aortic wall mechanics, 139
L-arginine, 1
Autonomic neurotransmission, 107
Autoregulation, 15, 93
Autoresuscitation, 285

Baroreceptors, 1, 131 Biological zero, 15, 101 β-blocker, 23 Blood flow, 147 Blood pressure, 107, 147 Bone, 175 Bradykinin, 189 Brain, 335 Brain natriuretic peptide, 257 Brattleboro rat strain, 257 Breath tests, 345

Calcium, 69
Capillary domain area, 113
Capillary filtration, 93
Capillary pemeability, 293
Carbon dioxide, 59
Cardiac output, 327
Carotid artery, 123
Cat, 263
Catecholamines, 285
CD68, 163
Cl-, 69
Colour vision, 217
Confocal laser scanning microscopy, 163
Coronary constriction, 147
Cytokines, 269

Dark adaptation, 217 Dendritic cell, 163 Dextran, 261 1,1-dimethylguanidine, 1 2,3-diphosphoglycerate(2,3-DPG), 249 Dog, 313 Dopamine, 335

Echo-tracking, 139

Eicosanoids, 189
Endothelial cell, 163
Endothelin receptor inhibitor, 7
Endothelin-1, 147
ERG, 217
ERG b- and d-waves, 227
Exercise, 51, 237, 335
Exercise transition, 327

Factor XIIIa, 163
Fatigue, 41
Fluid balance, 257
Free fatty acids, 179
Free trytophan, 41
Functional residual capacity, 59

GABA, 217, 343
Gastric mucosa, 313
Gastrin/CCK-B receptor, 313
Glucagon secretion, 303
Glucose, 147
Glutamate, 335
Glutathione, 237
Glycine, 217
Growth hormone, 303
Guinea-pig, 313

Haemodialysis, 277 Haemopoiesis, 269 Heart, 23 Heparin, 179 High altitude, 249 Hippocampus, 343 Histamine, 189, 293 Histamine receptor blockers, 293 H,K-ATPase, 155 HLA-DR, 163 H<sub>o</sub>-receptor antagonist, 321 Human, 147, 345 Human adipose tissue, 261 Human dental pulp, 163 Human skeletal muscle, 261 Hydrocortisone, 155 Hydrostatic capillary pressure, 93 Hydroxyl radicle, 237 Hypercapnia, 15 Hyperoxemia, 15 Hypoxia, 249 Hypoxic pulmonary vasoconstriction, 263

Immunohistochemistry, 163, 313 Immunostaining, 155 Inflammation, 277 Inhibition, 343 Innervation, 269 Insulin secretion, 303 Innulin synthesis, 303 Ion transport, 69 Ischaemia-reperfusion, 171 Islet-cell proliferation, 303 K+, 69

Lactate, 23, 147
Lactogenic activity, 303
Laser Doppler perfusion imager, 15, 101
Leucocyte, 277
Light adaptation, 227
Lower body negative pressure, 131
Lung, 59

Manganese, 33 Metabolism, 33 Microcirculation, 277 Microdialysis, 23, 261, 335 Microscopy, 313 MPO, 293 Muscle exercise, 209 Myogenic control, 93 Myosin, 81

Na<sup>+</sup>, 69 Neurotransmission, 335 Nitric oxide, 1, 51, 59, 263, 269, 345 Nitric oxide synthase inhibitor, 263 NMR spectroscopy, 209 Noradrenaline, 107, 335 Norepinephrine, 123

Oestradiol, 343
Oleic acid, 293
Oscillations, 123
Osteopenia, 175
O<sub>2</sub> equilibrium curve, 249
Ovariectomy, 175
Oxidative phosphorylation, 171
Oxidized glutathione, 237
Oxygen, 285
Oxygen uptake kinetics, 327

Pancreas, 69 PD 145065, 7 Pentagastin, 155 Pentosan polysulphate, 179 Perceived exertion, 41 Perfused heart, 171 Perfusion, 269 Perfusion fluid, 261 Peripheral circulatory control, 93 Phenylephrine, 123 Phosphocreatine (PC) hydrolysis, 209 Physical exercise, 113 Physiology, 33 Picrotoxin, 227 Platelet aggregation, 245 Platlet activation, 245 Positive pressure ventilation, 59 Preconditioning, 23

Pregnenolone, 343
Pregnenolone sulphate, 343
Progesterone, 303
Prolactin, 303
Prostacyclin, 93
Pulmonary circulation, 199
Pulmonary microvascular permeability, 189
Pulmonary resistance, 293
Pump perfusion, 93
Purine nucleosides, 245

Rat heart, 33
Rats, 175, 303
Reduced glutathione, 237
Reduced muscle temperature, 327
Regular physical activity, 237
Renal circulation, 7
Renin-angiotensin system, 107
Respiratory system, 59, 345
Retina, 217
Rhythmic contractions, 123
mRNA, 257

Satiety, 321
L-selectin, 277
Serotonin, 189
Skeletal muscle, 81, 107
Skeletal muscle capillarity, 113
Skin perfusion, 101
Small pulmonary vessels, 263
Somatostatin, 313
Spectral sensitivity, 227
Spontaneously hypertensive rat, 1
Stretch, 59 Strychnine, 227
Succinate dehydrogenase, 113
Sympathetic nerve activity, 1, 131
Sympathetic stimulation, 139

Thyroid hormone, 81 Total lipase, 179 Training, 335 Turtle, 217 Turtle retina, 227

Ultrasonography, 139 Upper airways, 51 Urodilatin, 7

Vascular internal diameter, 263 Vascular smooth muscle, 123 Vascular tone, 93 Veni-vasomotor reflex, 101 Ventilation, 199 Ventilation-perfusion ratio, 199 VO<sub>2</sub> kinetics, 209

Weaning, 175 Wistar-Kyoto rat, 1

